

DIC



JKLC/DURG//ENV/CECB/HO/BMW/14

Dated 05.01.2026

To,
Member Secretary
Chhattisgarh Environment Conservation Board,
Paryawas Bhavan, North Block Sector-19,
Atal Nagar, Raipur (C.G.) 492002

Subject: Submission of Annual Return of Bio-Medical Waste (Form IV) for period of January 2025 to December 2025.

Dear Sir,


We are submitting herewith annual return of Bio-Medical Waste in prescribed form IV under the rule of Bio-Medical Waste management Rules, 2016 for our Integrated Cement Plant situated at villages – Malpuri Khurd, Khasadih PO. Ahiwara, Tehsil Dhamdha, Dist. Durg for the calendar year **January 2025 to December 2025**.

This is for your kind information and record Please

Thanking you

Yours Faithfully

For, JK Lakshmi Cement Ltd.,


Rajpal Singh
Plant Head-(Works)

Encl. As above

CC: Regional Officer, Chhattisgarh Environment Conservation Board 5/32 Bungalow Bhilai
Dist. Durg(C.G.)



Form - IV
(See rule 13)
ANNUAL REPORT


[To be submitted to the prescribed authority on or before 30th June every year for the period from **January to December** of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr.No	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	: Mr. Rajpal Singh- Plant Head- Works
	(ii) Name of HCF or CBMWTF	: JK LAKSHMI CEMENT LTD
	(iii) Address for Correspondence	: Village Malpuri Khurd, Po Ahiwara, Tehsil Dhamdha, Dist- Durg, (C.G) 490036
	(iv) Address of Facility	: Village Malpuri Khurd, Po Ahiwara, Tehsil Dhamdha, Dist- Durg, (C.G) 490036
	(v) Tel. No, Fax. No :	:
	(vi) E-mail ID	: envdurg@durg.jkmail.com
	(vii) URL of Website	: www.jklakshmi.com
	(viii) GPS coordinates of HCF or CBMWTF	: N 21°16' 05" – 21°30' 47" latitude E 81°17'35" – 81°33'26" longitude
	(ix) Ownership of HCF or CBMWTF	: (state Government or private or semi Gov. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: Durg/Dec/98/16 Date 24/12/2016 Letter No.: 5266/BMW/HO/CECB/RAIPUR 2016 Dated 26.12.2016 Valid up to One Time
(xi). Status of Consents under Water Act and Air Act	: Valid up to: 30/04/2027	
2.	Type of Health Care Facility	
	(i) Bedded Hospital	: No. of beds – 02 for observation
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: Non bedded hospital (Occupational Health Centre)
3.	(iii) License number and its date of expiry	: NA
	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	: NA
	(ii) No of beds covered by CBMWTF	: -
(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day	
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: _____ Kg/day	

4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: <table border="1"> <tr><td>Yellow Category :</td><td>36.6 Kg</td></tr> <tr><td>Red Category :</td><td>23.13 Kg</td></tr> <tr><td>White:</td><td>1.33 Kg</td></tr> <tr><td>Blue Category :</td><td>10.24 Kg</td></tr> <tr><td>General Solid waste:</td><td>NA</td></tr> </table>	Yellow Category :	36.6 Kg	Red Category :	23.13 Kg	White:	1.33 Kg	Blue Category :	10.24 Kg	General Solid waste:	NA																																						
Yellow Category :	36.6 Kg																																																	
Red Category :	23.13 Kg																																																	
White:	1.33 Kg																																																	
Blue Category :	10.24 Kg																																																	
General Solid waste:	NA																																																	
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility :																																																	
	(i) Details of the on-site storage facility	: <table border="1"> <tr><td>Size : Contains with colour code</td></tr> <tr><td>Capacity : 30 Litres</td></tr> <tr><td>Provision of on-site storage : (cold storage or any other provision)</td></tr> </table>	Size : Contains with colour code	Capacity : 30 Litres	Provision of on-site storage : (cold storage or any other provision)																																													
Size : Contains with colour code																																																		
Capacity : 30 Litres																																																		
Provision of on-site storage : (cold storage or any other provision)																																																		
ii	Disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed kg/annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table> <p style="text-align: right;">TOTAL 71.3 KG THROUGH SMS WATER GRACE ENVIRO PROJECT PVT.LTD</p>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed kg/annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed kg/annum																																															
Incinerators																																																		
Plasma Pyrolysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: <table border="1"> <tr><td>Red Category (like plastic, glass etc.)</td></tr> </table>	Red Category (like plastic, glass etc.)																																															
Red Category (like plastic, glass etc.)																																																		
(iv)	No of vehicles used for collection and transportation of biomedical waste	: <table border="1"> <tr><td>NA</td></tr> </table>	NA																																															
NA																																																		
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	: <table border="1"> <thead> <tr><th></th><th>Quantity generated</th><th>Where disposed</th></tr> </thead> <tbody> <tr><td>Incineration</td><td>-</td><td>-</td></tr> <tr><td>Ash</td><td>-</td><td>-</td></tr> <tr><td>ETP Sludge</td><td>-</td><td>-</td></tr> </tbody> </table>		Quantity generated	Where disposed	Incineration	-	-	Ash	-	-	ETP Sludge	-	-																																				
	Quantity generated	Where disposed																																																
Incineration	-	-																																																
Ash	-	-																																																
ETP Sludge	-	-																																																
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: <table border="1"> <tr><td>SMS WATER GRACE ENVIRO PROJECT PVT.LTD, KHASARA NO. 70/1,70/2,70/5 PHASE NO. 20, SILTARA INDUSTRIAL AREA , RNM DHARSIWA ,SILTARA ,RAIPUR (C.G.)493111</td></tr> <tr><td>NA</td></tr> </table>	SMS WATER GRACE ENVIRO PROJECT PVT.LTD, KHASARA NO. 70/1,70/2,70/5 PHASE NO. 20, SILTARA INDUSTRIAL AREA , RNM DHARSIWA ,SILTARA ,RAIPUR (C.G.)493111	NA																																														
SMS WATER GRACE ENVIRO PROJECT PVT.LTD, KHASARA NO. 70/1,70/2,70/5 PHASE NO. 20, SILTARA INDUSTRIAL AREA , RNM DHARSIWA ,SILTARA ,RAIPUR (C.G.)493111																																																		
NA																																																		
(vii)	List of member HCF not handed over bio-medical waste.	: <table border="1"> <tr><td>NA</td></tr> </table>	NA																																															
NA																																																		
6.	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held	: <table border="1"> <tr><td>NO</td></tr> </table>	NO																																															
NO																																																		

	during the reporting period		
7.	Details trainings conducted on BMW		
(i)	Number of trainings conducted on BMW Management	:	Time to time provided
(ii)	number of personnel trained	:	YES
(iii)	number of personnel trained at the time of induction	:	4
(iv)	number of personnel not undergone any training so far	:	NA
(v)	Whether standard manual for training is available?	:	NA
(vi)	Any other information)	:	
8.	Details of the accident occurred during the year	:	NA
(i)	Number of Accidents occurred	:	NA
(ii)	Number of the persons affected	:	NA
(iii)	Remedial Action taken (Please attach details if any)	:	NA
(iv)	Any Fatality occurred, details.	:	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2025 to December 2025



Rajpal Singh
Plant Head -Works

Date:05/01/2026

Place: Malpuri Khurd Ahiwara
Dist.- Durg (CG)

